

Cycle Shelters, Compounds & Storage



WHATEVER YOUR REQUIREMENTS WE CAN **DESIGN, MANUFACTURE AND INSTALL**



VISITS SURVEYS
& FREE QUOTES



MADE TO
MEASURE



ALL YEAR
ROUND USE



UK WIDE
SERVICE



FREE DRAWINGS &
3D VISUALISATION



AFTER SALES
SERVICE

NBB 
**Premises
& Matting**

FREephone: 0800 1777 052

FREEFAX: 0800 1777 053



**Need a site survey or quote?
Call us on 0800 1777 052**

Model Shown: PMKCS02ZC

Kimmeridge Cycle Shelter

Stylish cycle shelter will protect your cycles from all weathers

- Cycle storage for up to 18 cycles
- Will protect your cycles from extreme weather conditions
- Supplied with Sheffield Toast Racks
- Suitable for a wide variety of educational premises
- Can be tailored to meet your cycle requirements
- Popular design and fantastic value for money

Specifications:

Frame:

- Manufactured from mild 40 x 40mm steel
- Galvanised to ISO 1461 2009, fettled and powder coated
- Maintenance free for 15 years and life maintained for 25 years
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Supplied complete with Sheffield Toast Racks manufactured from 40mm diameter mild steel. See price grid for cycle capacities

Glazing:

- Sides & Roof: 4mm polycarbonate face fixed to frame

Configurations and Assembly:

- All fixings zinc plated
- Delivered flat packed with full assembly instructions
- Can be self assembled or assembled by our installation team. Call **0800 1777 052** for a quotation



Free Site Surveys

We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service

Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Capacity	H x W x D (mm)
PMKCS01ZC	3 Racks / 6 Cycles	2040 x 2040 x 1900
PMKCS02ZC	6 Racks / 12 Cycles	2040 x 4040 x 1900
PMKCS03ZC	9 Racks / 18 Cycles	2040 x 6040 x 1900



Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Need a site survey or quote?
Call us on 0800 1777 052

Model Shown: PMCVCS2ZC

Peeveril Cycle Shelter

Attractive design to keep cycles safe and secure

- Popular design cycle shelter will protect cycles from the elements
- Can hold up to 24 bicycles
- Modern stylish design will suit any type of building
- Self supporting structure
- See through panels reduce the risk of vandalism and theft
- 4mm thick polycarbonate panels
- Will suit any educational premises

Specifications:

Frame:

- Mild steel, galvanised to ISO 1461 2009
- Fettle and powder coated
- 50mm round hollow steel with 40mm square hollow tube
- Supplied with Sheffield toast racks which allow cycles to be locked onto both sides
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Tinted panels available at an extra cost – please call **0800 1777 052** for a quotation
- Maintenance free for 15 years and life maintained for 25 years

Roof:

- 4mm thick polycarbonate face fixed to frame

Configurations and Assembly:

- All fixings zinc coated
- Delivered flat packed with full assembly instructions
- Can be self assembled or installed by our installation team.
Call **0800 1777 052** for a quotation



Free Site Surveys

We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service

Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.



Code	Capacity	H x W x D (mm)
PMCVCS1ZC	6 Racks / 12 Cycles	2270 x 3950 x 2134
PMCVCS2ZC	12 Racks / 24 Cycles	2270 x 7900 x 2134

Available in 8 standard colours

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Need a site survey or quote?
Call us on 0800 1777 052

Model Shown: PMUCS4ZC

Bloxworth Cycle Shelter

An unique umbrella shaped cycle shelter

- A stylish cycle shelter that gives maximum coverage whilst using minimum surface area
- Supplied with Sheffield toast racks which allow cycles to be locked onto both sides
- Can be used in multiple environments including schools, universities and any educational establishment
- 4mm polycarbonate roof glazing will protect cycles from all weather conditions from heavy rain to intense sunshine
- Heavy duty steel construction ensures structure resistance
- Design does not allow shelter to be vandalised by being climbed on
- Choose from 2 sizes to suit your cycle storage requirements

Specifications:

Frame:

- Mild steel galvanised and shot blasted, zinc coated and polyester epoxy powder coated
- 100mm square hollow tube upright
- 40 x 20mm rectangular mild steel tube glazed frame
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Maintenance free for 10 years and life maintained for 25 years
- Supplied complete with Sheffield toast rack

Glazing:

- 4mm polycarbonate, face fixed to frame

Configurations and Assembly:

Preparation required:

- 1m of cured concrete foundation required
- Base bolted to concrete euro bolts (drill bit & bolt supplied)
- Supplied with full assembly instructions
- Can be self-assembled or installed by our installation team

Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.



PMUCS4ZC



PMUCS5ZC



Code	Description	H x W (mm)	Pole Dia (mm)
PMUCS4ZC	12 Racks / 24 Cycles	2300 x 4000	139.7
PMUCS5ZC	12 Racks / 24 Cycles	2300 x 4732	139.7

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: Cycle Shelter
*Bench not included

Waiting/Break Shelter

Bloxworth Multipurpose Shelter **NEW!**

Stylish, elegant shelter will suit any environment

- A stylish and modern shelter perfect for storing cycles securely
- Supplied with a choice of two cycle racks or shelter only
- Can be used for a wide variety of applications from a Cycle Shelter to a Smoking or Waiting Shelter
- 4mm polycarbonate protects cycles and staff from all weather conditions

Specifications:

Frame:

- Mild steel shot blasted, zinc coated and polyester epoxy powder coated
- 139.7mm round hollow tube uprights
- 40 x 20mm rectangular mild steel tube glazed frame
- Available in 8 standard colours (see below). All other RAL colours available on special order

Roof Glazing:

- 4mm polycarbonate

Cycle Racks:

- Sheffield Toast Racks manufactured from 50mm diameter mild steel tube. Each Sheffield cycle shelter stand can accommodate two cycles
- Powder coated to the same colour as the shelter unless otherwise stated. Can also be supplied as galvanised only
- Looking for other cycle storage options.
We can incorporate any stand to suit your requirements

Configurations and Assembly:

- Supplied flat packed on a pallet with full assembly instructions
- Can be self assembled or installed by our installation team. Call **0800 1777 052** for a quotation.



Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Description	Storage Capacity	H x W x D (mm)
PMCA502ZC	Multi-Purpose Shelter	-	2300 x 7500 x 4020
PMCA503ZC	Multi-Purpose Shelter	-	2300 x 9090 x 4723
PMCA508ZC	Multi-Purpose with Sheffield Toast Racks	48	2300 x 7500 x 4020
PMCA509ZC	Multi-Purpose with Sheffield Toast Racks	48	2300 x 7500 x 4020



Model Shown: PMCHS23ZC

Holton Cycle Shelter

Keeps cycles tidy and protected from all weather conditions

- See through panels reduce risk of vandalism and theft
- Modern, stylish design will suit any type of school building
- 4mm thick polycarbonate roof with UV resistant coating protects cycles from both wet and sunny weather conditions
- Heavy duty construction will stand up to high usage and adverse weather
- C shaped design gives shelter from both behind, above and front if positioned close to building

Specifications:

Frame:

- Mild steel, shot blasted, zinc coated and polyester epoxy power coated
- 40mm square hollow tube
- Co polymer/acrylic side and back panels with UV Resistant coating
- Maintenance free for 5 years
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Supplied complete with sheffield toast cycle racks

Roof:

- 4mm thick polycarbonate face fixed to frame
- 38mm diameter, 2mm thick steel tube for the roof
- Supplied with full assembly instructions

Configurations and Assembly:

- Supplied with full assembly instructions
- All fixings zinc plated



Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Shelter with Sheffield Toast Rack

Code	Capacity	H x W x D (mm)
PMCHS22ZC	3 Racks / 6 Cycles	2419 x 2000 x 1969
PMCHS23ZC	4 Racks / 8 Cycles	2419 x 3000 x 1969
PMCHS24ZC	6 Racks / 12 Cycles	2419 x 4000 x 1969
PMCHS25ZC	8 Racks / 16 Cycles	2419 x 5000 x 1969
PMCHSEND	-	End Panel

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: PMSHPC3

Sandford Cycle Shelter

Provides excellent protection for your cycles

- Provides protection for cycles from extreme weather conditions
- Supplied with Sheffield Cycle Stands which allow cycles to be locked onto both sides
- Fibreglass roof is flexible yet hardwearing and will maintain colour density
- Can hold up to 16 cycles
- Available in 4 sizes

Specifications:

Frame:

- 38mm aluminium square hollow tube, acid etched and powder coated
- Available in 7 standard colours (see below). All RAL colours available on special order
- Maintenance free for 15 years and life maintained for 25 years

Glazing:

- 6mm scratch resistant acrylic with concealed fixings

Roof:

- High impact fibreglass outer surface gel coated (high UV resistance), underside natural matt finish, self coloured throughout

Sheffield Toast Rack:

- Made from mild steel
- Size: 800 x 660mm (H x W)

Configurations and Assembly:

- Delivered flat packed on a pallet
- Supplied with full assembly instructions



Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Capacity	H x W x D (mm)
PMSHPC2	3 Racks / 6 Cycles	2400 x 2100 x 2110
PMSHPC3	5 Racks / 10 Cycles	2400 x 3146 x 2110
PMSHPC4	6 Racks / 12 Cycles	2400 x 4182 x 2110
PMSHPC5	8 Racks / 16 Cycles	2400 x 5218 x 2110



Model Shown: PMWYC01

Wareham Cycle Shelter

Secure and protected cycle storage

- Perfect for office blocks, universities, leisure centres and many more applications
- Tough and scratch resistant polycarbonate roof shields cycles from the elements
- Excellent visibility reduces cycle theft and vandalism
- Weather resistant
- Can be supplied with or without Sheffield Toast Racks (see price grid)

Specifications:

Frame:

- Frame manufactured from steel
- Cross bars manufactured from 40mm square aluminium tube
- Powder coated
- Maintenance free for 15 years and life maintained for 25 years
- Available in 8 standard colours (see below). All other RAL colours available on special order

Glazing:

- 2mm scratch resistant polycarbonate, face fixed to frame

Configurations and Assembly:

- All fixings zinc plated
- Supplied with full assembly instructions

Installation Service

Call 0800 1777 052 for a free quotation



PMWCY05

Shelter with Sheffield Toast Racks

Code	Description	Capacity	H x W x D (mm)
PMWCY01	Shelter with Sheffield Toast Racks	3 Racks / 6 Cycles	2150 x 2010 x 1775
PMWCY02	Shelter with Sheffield Toast Racks	6 Racks / 12 Cycles	2150 x 4020 x 1775
PMWCY03	Shelter with Sheffield Toast Racks	9 Racks / 18 Cycles	2150 x 6030 x 1775
PMWCY04	Shelter with Sheffield Toast Racks	12 Racks / 24 Cycles	2150 x 8040 x 1775
PMWCYEND	End Panel	-	-

Shelter Only

Code	Description	H x W x D (mm)
QNWCY05	Shelter Only	2150 x 2010 x 1775
QNWCYEND	End Panel	-

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: Bespoke 40 cycle capacity

Herston Cycle Shelter

Stylish mushroom shaped shelter can hold up to 24 cycles

- Protects cycles from all weather conditions
- Increasing increments of 1m allow you to choose the size to suit your requirements (additional support is needed after 4m)
- Fibreglass roof is flexible yet sturdy with high UV resistance and will maintain colour density

Specifications:

Frame:

- Mild steel, hot dip galvanised and polyester epoxy power coated
- Supplied complete with Sheffield Toast Racks manufactured from 50mm diameter mild steel. See price grid for cycle capacities
- Available in 7 standard colours (see below). All other RAL colours available on special order
- Maintenance free for 15 years and life maintained for 25 years

Domed Roof:

- High impact fibreglass, outer service gel coated (high UV resistance), underside natural mat finish. Self coloured throughout

Configurations and Assembly:

- Preparation Required: 0.5m hole required to be filled with concrete (Allow one week for concrete to cure before assembly). Hole diameter will differ depending on shelter configuration
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team. Call **0800 1777 052** for a quotation



Free Site Surveys



Installation Service



Code	Capacity	H x W x D (mm)
PMTWD22ZC	3 Racks / 6 Cycles	2200 x 2100 x 2110
PMTWD23ZC	4 Racks / 8 Cycles	2200 x 3100 x 2110
PMTWD24ZC	6 Racks / 12 Cycles	2200 x 4100 x 2110
PMTWD25ZC	8 Racks / 16 Cycles	2200 x 5100 x 2110
PMTWD26ZC	9 Racks / 18 Cycles	2200 x 6100 x 2110
PMTWD27ZC	11 Racks / 22 Cycles	2200 x 7100 x 2110
PMTWD28ZC	12 Racks / 24 Cycles	2200 x 8100 x 2110



Model Shown: PMKYS03ZC

Winterbourne Cycle Compound

Top of the range Cycle Compound holds up to 56 cycles!

- Secure cycle storage for up to 56 cycles
- Will protect both your cycles and cyclists from all weathers
- Supplied with Sheffield Toast Racks
- Can be supplied without cycle racks for use as a waiting, vending or ticket machine shelter. Call us on **0800 1777 052** for more information
- Suitable for a wide variety of educational premises from Schools to Colleges and Universities

Specifications:

Frame:

- Mild steel hot dip galvanised to ISO 1461 2009 and polyester epoxy powder coated
- 40mm square hollow tube
- Maintenance free for 15 years and life maintained for 25 years
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Supplied complete with Sheffield Toast Racks manufactured from 50mm diameter mild steel. See price grid for cycle capacities

Sheffield Toast Racks:

- Manufactured from 50mm diameter mild steel galvanised and epoxy coated

Glazing:

- Sides: 4mm polycarbonate
- Roof: 16mm triple wall polycarbonate

Configurations and Assembly:

- All fixings zinc plated
- Delivered flat packed with full assembly instructions
- Can be self assembled or assembled by our installation team



PMKYS01ZC

Free Site Surveys



Installation Service



Code	Capacity	H x W x D (mm)
PMKYS01ZC	10 Racks / 20 Cycles	2500 x 3600 x 4500
PMKYS02ZC	18 Racks / 36 Cycles	2500 x 6000 x 4500
PMKYS03ZC	28 Racks / 56 Cycles	2500 x 9000 x 4500

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbr Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Need a site survey or quote?
Call us on 0800 1777 052

Model Shown: Bespoke Size

Kimmeridge Cycle Compound

Safe, secure storage for cycles and cycle accessories

- Completely covered shelter provides protection from all weathers for both cycles and cyclists
- Can also be used as a waiting shelter and supplied without cycle stands. Call **0800 1777 052** for a quotation
- Tailor the compound to suit your own needs choosing from different sizes, cycle racks, gates etc

Specifications:

Frame:

- Made from 40mm square steel tube, hot dipped galvanised and powder coated
- Maintenance free for 15 years and life maintained for 25 years
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Supplied with a lockable door. Sliding gates are available at an extra cost. Call **0800 1777 052** for a quotation

Sheffield Toast Racks:

- Manufactured from mild steel with polyester epoxy powder coating
- 40mm square hollow tube
- Each stand accommodates one cycle each side
- Cycles can be locked to the stand by the wheels and frames using chains, padlocks, cables or D-locks
- Stands are joined at the feet for easy installation

Glazing:

- 4mm solid polycarbonate sheet, face fixed to frame

Configurations and Assembly:

- All fixings zinc coated
- Delivered flat packed with full assembly instructions
- Can be self assembled or installed by our installation team. Call **0800 1777 052** for a quotation

Free Site Surveys 

Installation Service 

Single sided - unsecure

Code	Capacity	Description	H x W x D (mm)
PMKSD01ZC	7 Racks / 14 Cycles	Single sided with Gate & Sheffield Toast Racks	2040 x 4030 x 1900
PMKSD02ZC	11 Racks / 22 Cycles	Single sided with Gate & Sheffield Toast Racks	2040 x 6025 x 1900
PMKSD03ZC	14 Racks / 28 Cycles	Single sided with Gate & Sheffield Toast Racks	2040 x 8020 x 1900

Double sided - secure

Code	Capacity	Description	H x W x D (mm)
PMKCC01ZC	14 Racks / 28 Cycles	Double sided with Gate & Sheffield Toast Racks	2200 x 4030 x 4400
PMKCC02ZC	22 Racks / 44 Cycles	Double sided with Gate & Sheffield Toast Racks	2200 x 6025 x 4400
PMKCC03ZC	28 Racks / 56 Cycles	Double sided with Gate & Sheffield Toast Racks	2200 x 8020 x 4400

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002

15





Models Shown: PMSHS05 & PMSHS06

Hoop Cycle Stands


Hoop style stands at brilliant prices

- Ideal for schools and any type of educational establishment
- Each stand can accommodate one cycle on each side
- Cycles can be locked to the stand by wheel and frames using chains, padlocks, cables or D-locks
- Can be sub-surface or surface mounted
- Rapid delivery on galvanised and black cycle stands



Specifications:

- Manufactured from 50mm steel tube
- Three finishes available – galvanised or galvanised and powder coated black or to a choice of 8 RAL colours (see bottom of page)
- Choose from surface mounted or sub-surface mounted



PMSHS08

Description	Surface Mounted		Sub-Surface Mounted	
	Code	H x W (mm)	Code	H x W (mm)
Hoop Cycle Stand - Galvanised	PMSHS05	960 x 840	PMSHS07	1210 x 1140
Hoop Cycle Stand - Powder Coated Black	PMSHS06	960 x 840	PMSHS08	1210 x 1140
Hoop Cycle Stand - Powder Coated to standard RAL colours (see below)	PMSHS11	960 x 840	PMSHS12	1210 x 1140



Model Shown: PMPCS2

Swanage Cycle Stands

Stylish design provides an effective cycle parking solution

- Constructed of 38mm mild steel tube
- Stands are mounted on 40 x 40mm box section which is secured to the ground using appropriate anchor bolts
- Each stand is 780mm in diameter and are spaced at 600mm centres to allow space for 2 bicycles either side
- Delivered flat packed
- Available in 8 standard colours (see below)



Code	No. of Racks/Cycles	H x W (mm)
PMPCS1	2/4	820 x 600
PMPCS2	3/6	820 x 1200

Sheffield Cycle Stands


Popular stylish stands at incredible value!

- Ideal for schools and any type of educational establishment
- Each stand can accommodate one cycle on each side
- Cycles can be locked to the stand by wheel and frames using chains, padlocks, cables or D-locks
- Can be sub-surface or surface mounted
- Rapid delivery on galvanised and black cycle stands



Specifications:

- Manufactured from 50mm steel tube
- Three finishes available – galvanised or galvanised and powder coated black or to a choice of 8 RAL colours (see bottom of page)
- Choose from surface mounted or sub-surface mounted
- Also available in stainless steel. Call us on **0800 1777 052** for a quotation



PMSHS03



Models Shown: PMSHS01 & PMSHS02

Description	Surface Mounted		Sub-Surface Mounted	
	Code	H x W (mm)	Code	H x W (mm)
Sheffield Cycle Stand - Galvanised	PMSHS01	825 x 830	PMSHS03	1075 x 860
Sheffield Cycle Stand - Powder Coated Black	PMSHS02	825 x 830	PMSHS04	1075 x 860
Sheffield Cycle Stand - Powder Coated to standard RAL colours	PMSHS09	825 x 830	PMSHS10	1075 x 860

Sheffield Toast Rack

Popular long lasting stands and easy to install

- Suitable for any educational establishment from nurseries to schools
- Each cycle stand accommodates two cycles, one on each side
- Cycles can be locked to the stand by wheel and frames using chains, padlocks, cables or D-locks
- Storage for up to 6 cycles
- Can be used for junior and/or adult bikes



Specifications:

- Manufactured from 50mm diameter mild steel tube
- Maintenance free for 5 years and life maintained for 25 years
- Surface mounted for easy installation
- Multiple toast racks can be placed next to each other
- Available in 8 standard colours (see below). All RAL colours available on special order

Accessories

Code	Description
PMARM01	Tamper Proof Bolt Cap
PMBTCON	Concrete Fixing Bolt
PMBTTARM	Tarmac Fixing Bolt



Model Shown: PMSCS18

Code	Description	No. of Stands / Cycles	Finish
PMSCS11	Sheffield Toast Rack	2 Racks / 4 Cycles	Galvanised
PMSCS15	Sheffield Toast Rack	2 Racks / 4 Cycles	Black
PMSCS16	Sheffield Toast Rack	2 Racks / 4 Cycles	Silver, White, Umbra Grey, Red, Yellow, Green or Blue
PMSCS9	Sheffield Toast Rack	3 Racks / 6 Cycles	Galvanised
PMSCS17	Sheffield Toast Rack	3 Racks / 6 Cycles	Black
PMSCS18	Sheffield Toast Rack	3 Racks / 6 Cycles	Silver, White, Umbra Grey, Red, Yellow, Green or Blue

Both Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: Straight Rack



Model Shown: Angled Rack

Wall Mounted Cycle Rack **NEW!**

Perfect for any educational establishment

- Supplied fully assembled with round tube wheel locators
- Manufactured in hot dip galvanised steel
- Supplied fully assembled with round tube wheel locators
- Suitable for 4 cycles up to maximum tyre width of 55mm
- Floor post can be purchased to make the racks floor mounted

Code	Description	No. of Cycles	H x W x D (mm)
PMWCR01	90 Degree Holders - Straight Model	4	150 x 150 x 100
PMWCR02	45 Degree Holders - Angled Model	4	150 x 150 x 100
PMWCR03	Floor Post for Wall Mounted Cycle Rack	-	40 x 80 x 120



Traffic Line Wall Mounted Cycle Holder

Handy wall mounted holders that can be adjusted through 180 degrees

- Manufactured in hot dip galvanised steel
- Supplied with round tube wheel locators
- Wall mounted plate is secured with dowels
- Compact and flexible design suitable for cycle up to a tyre width of 50mm
- Suitable for any school building
- Easy to fix to a wall
- Fixings not included



Manufactured in galvanised steel

Code	No. of Cycles	H x W x D (mm)
PMMV1001	1	335 x 90 x 285

Cycle Stand Racks



Cost effective cycle storage

- Manufactured from rust proof, zinc plated bars
- Can accommodate all tyres from 35 to 55mm
- Self supporting popular design
- Can be bolted into the ground
- Suitable for use on both sides
- Available in 3, 4 or 5 cycle capacities
- Can also be bolted to the wall
- Suitable for either indoor or outdoor use
- Suitable, for any educational establishment
- Easy to fix to the ground
- Fixings not included

Code	No. of Cycles	H x W x D (mm)
PMSRK001	3	250 x 800 x 330
PMSRK002	4	250 x 1240 x 330
PMSRK003	5	250 x 1320 x 330

Single & Double Sided Scooter Racks

Great double sided storage for micro scooters

- Manufactured from 50mm tubular steel
- Zinc & powder coated with a 5 year guarantee against rust and corrosion
- Secure storage for up to 20 micro scooters (double). Single sided scooter rack can hold up to 10 scooters
- Double sided for access from both sides – 10 scooters per side
- Comes supplied with chain to secure scooters
- Suitable for all educational establishments from nurseries and schools to play centres
- Available in 8 standard colours. All other RAL colours available on special order



Code	No of Scooters	H x L (mm)
PMSCOOT1	20	600 x 1800
PMSCOOT210	10	600 x 1800



Model Shown: PMSRK003



Single Sided



Double Sided



Traffic Line Bicycle Rack

Ideal for schools bicycle parking

- Manufactured from hot dip galvanised steel
- Supplied fully assembled with round tube wheel locators
- Can be accessed from either side dependant on location
- Suitable for 4 cycles up to maximum tyre width of 55mm
- Perfect for any educational premises
- Will last for many years
- Easy to fix to the ground
- Fixings not supplied

**Manufactured in
galvanised steel**

Code	No. of Cycles	H x W x D (mm)
PMMV1002	4	255 x 1320 x 385



Model Shown: PMMV1067

Traffic Line Hoop Cycle Rack

Easy and simple cycle parking

- Constructed from strong steel
- Hot dip galvanised for long life
- Accommodates all tyre widths up to 55mm
- Accessible from one or two sides
- Easy to assemble - Simply bolts to ground

Code	No. of Racks/Cycles	H x W x D (mm)
PMMV1064	2	415 x 390 x 700
PMMV1065	3	415 x 390 x 1050
PMMV1066	4	415 x 390 x 1400
PMMV1067	5	415 x 390 x 1750
PMMV1068	6	415 x 390 x 2100



Model Shown: PMSBR05

Staggered Bike Rack **NEW!**

Modern racks can hold up to 5 cycles

- Manufactured from rust proof zinc plated bars
- Can accommodate all tyres from 35mm to 55mm
- Self supporting racks
- Double bars - diameter 16mm
- Can be floor or wall mounted
- Available in zinc or green and in 3 sizes

Code	No. of Cycles	H x W x D (mm)	Finish
PMSBR01	2	500 x 390 x 490	Zinc
PMSBR02	2	500 x 390 x 490	Green
PMSBR03	3	890 x 390 x 490	Zinc
PMSBR04	3	890 x 390 x 490	Green
PMSBR05	5	1600 x 390 x 490	Zinc
PMSBR06	5	1600 x 390 x 490	Green

Looking for cycle accessory storage?

NBB have a range of lockers to ensure cycle accessories are stored securely for pupils and staff.

6-Tier Compartment Locker

Quality lockers perfect for storing cycle items such as cycle helmets and hi-viz jackets

- Manufactured from .65/7 mm prime CR mild steel
- Spot welded lockers
- Integral sloping tops - if required
- 10mm flattened and safety edged doorstop
- 38mm divisions between tiers for added strength
- Vertical door stiffeners
- Hinges spot-welded to the door but riveted to the carcass
- Ventilation slots available
- Standard colour is Light Grey. If you require a different colour, please call us on **0800 1777 052**



6-Tier Locker, located in a shelter

Code	H x W X D (mm)	Colour
PMCP01	1800 x 300 x 450	Light Grey



Wet 'n' Dry Lockers

Tough polyethylene lockers

- Manufactured from tough, impact resistant, non-corrosive polyethylene, with a one piece body and double skinned door
- The safety conscious moulded design ensures no sharp edges, minimising the danger of personal injury
- Available in 3 sizes. The lockers accept a padlock fitting (padlock not included)
- Ideal for damp and humid atmospheres such as changing rooms or outdoor activity areas
- Ventilation slits prevent condensation build up inside
- Choose from 4 door colours (Red, Blue, Yellow or Grey)
- Lockers can be wall mounted

Code	Pack Quantity	H x W X D (mm)
PMWDL3	1 Locker	450 x 320 x 460
PMWDL4	1 Locker	600 x 320 x 460
PMWDL5	1 Locker	900 x 320 x 460

Cycle Stand Fixings

Fixing Bolts

Concrete

- Collapsible ferrule ensures the clamping force is transmitted into the concrete
- The three independently retained segments expand to guarantee the setting
- 20mm diameter hole size, minimum depth 65mm
- Zinc plated steel bolt and shield

Tarmac

- Sleeve provides a secure fixing by compression
- Vibration and corrosion resistant which includes a bonded brass insert screw
- 24mm diameter hole size, minimum depth 85mm
- Specifications: Zinc plated steel bolt and shield with rubber collar

Tamper Proof Bolt Caps

Extra protection for Sheffield Cycle Stands

- Ensures your stands are kept safe and tamper proof with these tamper proof bolt caps
- Simply place over bolts and hammer into place



Code	Description	Pack Qty
PMARM01	Tamper Proof Bolt Cap	1
PMBTCON	Fixing Bolt for Concrete	1
PMBTTARM	Fixing Bolt for Tarmac	1

**Perfect for Buggy /
Pushchair Storage**



**Need a site survey or quote?
Call us on 0800 1777 052**

Model Shown: 2 x PMCRS01ZC

Holton Buggy / Tricycle Shelter

Suitable for use outside crèches, nurseries and playgroups

- Secure storage for up to 4 buggies
- Can also be used as a tricycle storage shelter
- Steel frame is robust and long lasting
- Supplied with a framed gate for maximum security
- Choose from a range of 8 standard colours to suit your surroundings (see below)
- Fantastic value for money

Specifications:

Frame:

- Mild steel construction
- 40mm square hollow tube, shot blasted and zinc coated
- Finish in polyester epoxy powder coating
- Maintenance free for 5 years and life maintained for 25 years
- Available in 8 standard colours (see below). All RAL colours available on special order
- All fixings are zinc coated

Glazing:

- 4mm polycarbonate, face fixed to frame

Configurations and Assembly:

- Delivered fully clad, with polycarbonate attached to frame
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team
- Call us on **0800 1777 052** if you require a quotation
- If you require a bespoke size, please contact us to discuss your requirements

Looking for bespoke buggy storage?
Call us on 0800 1777 052 to discuss your requirements

Free Site Surveys

We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service

Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.



Code	Capacity	H (Underside) x W x D (mm)
PMCR501ZC	4 Buggies / 4 Tricycles	1477 x 2000 x 1828

Available in 8 standard colours 

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: PMBG811FS

Sandford Buggy Shelter

Secure shelter ideal for use as buggy storage or as a secure waiting shelter

- Suitable for storing buggies securely
- Can be used as a cycle shelter
- Aluminium frame is light and long lasting (100% corrosion resistant)
- Flexible yet sturdy fibre glass roof will not fade in the sunlight
- Supplied with the option of a lockable door for maximum security (see price grid)
- Can be supplied as freestanding or back to wall

Specifications:

Frame:

- 38mm square aluminium square hollow tube
- Aluminium is etch primed, with epoxy polyester powder coating
- Maintenance free for 15 years and life maintained for 25 years
- Available in 7 standard colours (see below). All other RAL colours available on special order

Glazing:

- 6mm acrylic with concealed fixings

Domed Roof:

- Fibreglass, outer service gel coated (high UV resistance), underside natural matt finish
- Self coloured throughout

Configurations and Assembly:

- Delivered flat packed with full assembly instructions



Free Site Surveys



Installation Service



H x W x D (mm)	Freestanding Code	Back to Wall Code
2250 x 3146 x 1074	PMBG412FS	PMBG412BW
2250 x 4182 x 1074	PMBG416FS	PMBG416BW
2250 x 5218 x 1074	PMBG420FS	PMBG420BW
2400 x 2110 x 2110	PMBG88FS	PMBG88BW
2400 x 3146 x 2110	PMBG811FS	PMBG811BW
2400 x 4182 x 2110	PMBG816FS	PMBG816BW
2400 x 5218 x 2110	PMBG820FS	PMBG820BW
Door	PMLBDOOR	PMLBDOOR