Smoking Shelters



WHATEVER YOUR REQUIREMENTS WE CAN DESIGN, MANUFACTURE AND INSTALL

















FREEPHONE: 0800 1777 052 FREEFAX: 0800 1777 053



No Butts® Open Fronted Smokescreen

Provide protection from the weather for employees

- Ensures a designated smoking area for your premises
- Open fronted design allows air to circulate through shelter
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Available in free standing or back to wall varieties which are suitable for concrete, tarmac, paving slabs or block brick surfaces
- Fibreglass roof is hardwearing and will maintain colour density
- Aluminium frame is lightweight vet sturdy with etch primed polyester powder coating that cleans easily and does not rust

Specifications:

Frame:

- 40mm square rust free aluminium tube with polyester powder coating
- Available in 7 standard colours (see below). All other RAL colours available on special order

Glazing:

- 6mm scratch resistant co-polymer acrylic with concealed fixings
- Will not yellow in sunlight, 1808 x 1015mm (H x W)

Domed Roof:

• Reinforced fibreglass with guttering along lengths

Configurations and Assembly:

- Available in 6 sizes
- 12 standard configurations: 6 Free Standing (FS) and 6 Back to Wall (BW). Further configurations are available using the 1m and 2.1m extension modules. (BW) models are supplied without glazing panels for the rear of the shelter





Freestandina

Code	Capacity	H x W x D (mm)
PMCC48FS	3-5 People	2250 x 2110 x 1074
PMCC412FS	5-7 People	2250 x 3146 x 1074
PMCC416FS	6-8 People	2250 x 4182 x 1074
PMCC88FS	6-8 People	2400 x 2110 x 2110
PMCC811FS	10-12 People	2400 x 3146 x 2110
PMCC816FS	12-14 People	2400 x 4182 x 2110

Back to Wall

Duck to trail		
Code	Capacity	H x W x D (mm)
PMCC48BW	3-5 People	2250 x 2110 x 1074
PMCC412BW	5-7 People	2250 x 3146 x 1074
PMCC416BW	6-8 People	2250 x 4182 x 1074
PMCC88BW	6-8 People	2400 x 2110 x 2110
PMCC811BW	10-12 People	2400 x 3146 x 2110
PMCC816BW	12-14 People	2400 x 4182 x 2110

RAL9005



No Butts®4-Sided Smokescreen

Our best selling smoking shelter

- Ensures a designated smoking area for your premises
- Providing protection from adverse weather will improve the morale of your employees, increasing productivity
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Freestanding design made from lightweight and hard wearing 40mm aluminium frame
- Suitable for concrete, tarmac, paving slabs or block brick surfaces
- Fibreglass roof is vandal proof with protection from sun rays whilst maintaining colour density

Specifications:

Frame:

- 40mm square rust free aluminium tube with polyester powder coating
- Available in 7 standard colours (see below). All other RAL colours available on special order

Glazing:

• 6mm scratch resistant co-polymer acrylic with concealed fixings

Domed Roof:

• Reinforced fibreglass with guttering along lengths

Available in 7 standard colours



- Available in 7 sizes
- Delivered flat packed on a pallet
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team

Code	Capacity	H×W×D (mm)
PMDD48FS	3-5 People	2250 x 2110 x 1074
PMDD412FS	5-7 People	2250 x 3146 x 1074
PMDD416FS	6-8 People	2250 x 4182 x 1074
PMDD88FS	6-8 People	2400 x 2110 x 2110
PMDD811FS	10-12 People	2400 x 3146 x 2110
PMDD816FS	12-14 People	2400 x 4182 x 2110
PMDD820FS	16-18 People	2400 x 5218 x 2110

Yellow Umbra Grey Red Green Blue **RAL7022** RAL3020 **RAL1021 RAL6026 RAL5002**

No Butts Perch Seat & Bench

Completes your smoking area

- Sloping seat is ideal for short breaks
- Available in 3 standard colours: Black, Blue or Green (please specify when ordering)

Specifications:

- Constructed from polyester powder coated mild steel
- 4 bolts are required to secure to surface base
- Supplied with a 5 year guarantee against rust & corrosion



Silver

RAL9006

Black

RAL9005

Code HxWxD (mm) 830 x 1000 x 300 PMABH01ZC **PMBENCHZC** 710 x 1000 x 300

Available in 3 standard colours

RAL9005 RAL6026 **RAL5002**



Sandford Combi Smoking / Cycle Shelter

Dual purpose shelter for economical use of space

- A shelter that can be used for both as a smoking shelter and storing cycles
- Aluminium frame is light and long lasting (100% corrosion resistant)
- Flexible yet sturdy fibre glass roof will not fade
- This versatile shelter is freestanding and can be self assembled
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Supplied with Sheffield Toast Racks

Specifications:

Frame:

- 2mm thick frame special extrusion
- Aluminium is etch primed with polyester powder coating
- Available in 7 standard colours (see below)
 All other RAL colours available on special order

Domed Roof:

- Fibreglass, outer service gel coated (high UV resistance), underside natural matt finish
- Self coloured throughout

Sheffield Toast Racks:

- Manufactured from 50mm diameter mild steel tube
- Each stand can accomodate 2 cycles, one on each side
- Powder coated to the same colour as the shelter (unless otherwise stated)

Configurations and Assembly:

- Delivered flat packed with full assembly instructions
- Can be self assembled or assembled by our installation team. Call 0800 1777 052 for a quotation





Free Site Surveys

We offer FREE surveys to all UK Mainland Establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service

Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Capacity	H x W x D (mm)
PMCBF2	3 Stands / 6 Cycles	2400 x 4182 x 2110
PMCBF4	4 Stands / 8 Cycles	2400 x 5218 x 2110
PMCBF5	5 Stands / 10 Cycles	2400 x 6255 x 2110



Holton Smoking Shelter

Curved design provides protection from the elements

- Stylish, curved design provides protection from adverse weather from both the back and above if positioned correctly
- Gives a good area of rain shelter on wet days and UV stabilised polycarbonate roof ensures it will not discolour in the sun
- Can be used for a variety of applications such as a smoking shelter, visitors/staff waiting area, spectator viewing area, or designated break time area
- Steel structure ensures shelter is hard wearing and long lasting
- This modular shelter is infinitely adaptable to suit any location
- Versatile shelter supplied as freestanding and is suitable for concrete, tarmac, paving slab or block brick slabs
- Compliant with Smoking Ban Legislation Parliament Act 3368

Specifications:

Frame:

- 40mm polyester powder coated mild steel square tube, 2mm wall thickness
- Available in 8 standard colours (see below). All other RAL colours available on special order
- 40 x 20mm rectangular mild steel tube glazed frame
- Supplied with a 5 year guaranteed zinc coating against rust and corrosion

Glazing:

- Back panels: 4mm polycarbonate
- Roof: 4mm polycarbonate with UV resistant coating

Configurations and Assembly:

• Delivered on a pallet with full assembly instructions





Free Site Surveys

We offer FREE surveys to all UK Mainland Establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.



Call 0800 1777 052 for a free quotation

Code	Capacity	H x W x D (mm)
PMCDS2ZC	5 People	2419 x 2000 x 1969
PMCDS3ZC	8 People	2419 x 3000 x 1969
PMCDS4ZC	10 People	2419 x 4000 x 1969
PMCDS5ZC	13 People	2419 × 5000 × 1969
PMCDSEND	-	End Panel



Corfe Open Fronted Smoking Shelter with Polycarbonate Roof

Will suit any outdoor area

- Compliant with Smoking Ban Legislation Parliament Act 3368
- Durable, lightweight aluminium frame
- Easy to assemble
- Available in freestanding or back to wall varieties which are suitable for concrete, tarmac, paving slabs or block brick surfaces

Specifications:

Frame:

- 40mm square aluminium tube
- Rust free aluminium frame, polyester powder coated
- Available in 8 standard colours (see below). All other RAL colours available on special order

Glazing:

- 4mm Polycarbonate held in place with rivets
- Pre-glazed

Roof:

• 16mm celluar polycarbonate

Configurations and Assembly:

- All fixings zinc plated
- Delivered flat packed with complete instructions





Back to Wall

Code	Capacity	H x W x D (mm)
PMCRF01ZC	3-5 People	2110 x 2100 x 1074
PMCRF02ZC	5-7 People	2110 x 3146 x 1074
PMCRF03ZC	6-8 People	2110 x 4182 x 1074
PMCRF04ZC	6-8 People	2110 x 2110 x 2100
PMCRF05ZC	10-12 People	2110 x 3146 x 2100
PMCRF06ZC	12-14 People	2110 x 4182 x 2100

Freestanding

Code	Capacity	H×W×D (mm)
PMCRF07ZC	3-5 People	2110 x 2100 x 1074
PMCRF08ZC	5-7 People	2110 x 3146 x 1074
PMCRF09ZC	6-8 People	2110 x 4182 x 1074
PMCRF10ZC	6-8 People	2110 × 2110 × 2100
PMCRF11ZC	10-12 People	2110 x 3146 x 2100
PMCRF12ZC	12-14 People	2110 x 4182 x 2100



Corfe 4-Sided Smoking Shelter with Polycarbonate Roof

Polycarbonate roof creates a spacious feel

- Will suit any type of outdoor area
- Creates a designated smoking area for your premises
- Strong yet lightweight aluminium frame
- Can be placed on concrete, tarmac, paving slabs or block brick surfaces
- Compliant with Smoking Ban Legislation Parliament Act 3368

Specifications:

Frame:

- 40mm square aluminium tube
- Rust free aluminium frame, polyester powder coated
- Available in 8 standard colours (see below). All other RAL colours available on special order

Glazing:

- 4mm polycarbonate face fixed with rivets
- Pre-glazed

Roof:

• 16mm cellular polycarbonate

Configurations and Assembly:

- Available in 7 configurations
- Bespoke sizes available. Call 0800 1777 052 for a quotation
- All fixings zinc plated
- Delivered flat packed with full assembly instructions
- Can be self assembled or assembled by our installation team. Call 0800 1777 052 for a quotation







We offer FREE surveys to all UK Mainland Establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Code	Capacity	H×W×D (mm)
PMCES01ZC	3-5 People	2110 x 2110 x 1074
PMCES02ZC	5-7 People	2110 x 3146 x 1074
PMCES03ZC	6-8 People	2110 x 4182 x 1074
PMCES04ZC	6-8 People	2110 x 2110 x 2110
PMCES05ZC	10-12 People	2110 x 3146 x 2110
PMCES06ZC	12-14 People	2110 x 4182 x 2110
PMCES07ZC	16-18 People	2110 x 5218 x 2110



Low cost but exceptionally high quality

- Creates a designated freestanding smoking area for your premises
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Tough yet light aluminium frame
- Easy to assemble
- Can be placed on concrete, tarmac, paving slabs or block brick surfaces

Specifications:

Frame:

- 40mm square aluminium tube
- Rust free aluminium frame, polyester powder coated
- Available in 7 standard colours (see below). All other RAL colours available on special order

Glazing:

• 4mm polycarbonate face fixed with rivets

• Aluminium composite sheet (supplied in same colour as shelter unless otherwise stated. Please note Umbra Grey is unavailable for the roof)

Configurations and Assembly:

- Provided flat packed with complete instructions
- Can be self assembled or installed by our installation team. Call **0800 1777 052** for a quotation

Back to Wall

Code	Capacity	H×W×D (mm)	
PMCOS01ZC	3-5 People	2110 x 2110 x 1074	
PMCOS02ZC	5-7 People	2250 x 3146 x 1074	
PMCOS03ZC	6-8 People	2110 x 4182 x 1074	
PMCOS04ZC	6-8 People	2110 x 2110 x 2110	
PMCOS05ZC	10-12 People	2110 x 3146 x 2110	
PMCOS06ZC	12-14 People	2110 × 4182 × 2110	

Freestanding

Code	Capacity	H×W×D (mm)
PMCOS07ZC	3-5 People	2110 × 2110 × 1074
PMCOS08ZC	5-7 People	2250 x 3146 x 1074
PMCOS09ZC	6-8 People	2110 x 4182 x 1074
PMCOS10ZC	6-8 People	2110 x 2110 x 2110
PMCOS11ZC	10-12 People	2110 × 3146 × 2110
PMCOS12ZC	12-14 People	2110 × 4182 × 2110

RAL3020



Corfe 4-Sided Smoking Shelter with Aluminium Composite Roof

Stylish & economical smoking shelter

- Freestanding design create a designed smoking area
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Durable, lightweight steel frame
- Easy to assemble
- Can be placed on concrete, tarmac, paving slabs or block brick surfaces

Specifications:

Frame:

- 40mm square aluminium tube
- Rust free aluminium frame, Polyester powder coated
- Available in 8 standard colours (see below). All other RAL colours available on special order

Glazing:

- 4mm polycarbonate held in place with rivets
- Pre-glazed

Roof:

 Aluminium composite sheet (supplied in same colour as shelter unless otherwise stated). Please note Umbra Grey is unavailable for the roof

Configurations and Assembly:

- All fixings zinc plated
- Delivered flat packed with complete instructions
- Can be self assembled or installed by our installation team.

 Call **0800 1777 052** for a quotation







Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Capacity	H x W x D (mm)
PMCRA01ZC	3-5 People	2110 x 2100 x 1074
PMCRA02ZC	5-7 People	2110 x 3146 x 1074
PMCRA03ZC	6-8 People	2110 x 4182 x 1074
PMCRA04ZC	6-8 People	2110 × 2110 × 2100
PMCRA05ZC	10-12 People	2110 × 3146 × 2100
PMCRA06ZC	12-14 People	2110 × 4182 × 2100
PMCRA07ZC	16-18 People	2110 x 5218 x 2100



Sandford Smoking Porch

Ideal for sites where space is limited

- Creates a designated smoking area
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Ideal for smaller premises where floor space is limited
- Attaches easily to a wall
- Protects employees from the elements
- · Lightweight structure is weather resistant and will not rust
- Also suitable for use as a waiting area or entrance porch

Specifications:

Domed Roof:

- Reinforced fibreglass
- Maintenance free for 15 years and life maintained for 25 years
- Weighs 50kg
- Available in 7 standard colours (see below). All other RAL colours available on special order

Configurations and Assembly:

- Delivered with full instructions
- Easy to assemble
- Due to the variety of building structures no fixings are supplied
- Available in one standard size
- Bespoke sizes available. Call 0800 1777 052 for a quotation







We offer FREE surveys to all UK Mainland Establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Capacity	H x D (mm)
PMANSSP1	3-5 People	2100 x 1000



Hooded Top







No Butts® Tower Cigarette Bin

Freestanding, stylish and functional

- Freestanding designs
- Stainless Steel version is guaranteed for life
- Lockable double collection box
- Also available in mild steel construction in 3 powder coated finishes
- Encourages smokers to dispose of cigarettes responsibly

Specification:

- Top, and double inner collection box: 1mm architectural grade stainless steel for all models
- Stainless Steel body manufactured from: 1mm architectural grade and Guaranteed for Life
- Painted models: 1mm Zintec, zinc plated mild steel with epoxy polyester coating
- Available in Antique Silver, Green and Black textured finishes
- Can be bolted to the ground
- Inner bin capacity 6.6 ltr

Pyramid Top Bin

 Pyramid tops prevents objects being placed on top and ensures the effectiveness of the bin is not compromised

Hooded Top Bin

 Hooded top protects the bin from filling with water when placed in exposed locations

Flat Top Bin

• Flat top has the appearance of a traditional ashtray yet has all the benefits of the No Butts Tower interior design

Pyramid Top Bin

Code	H x W x D (mm)	Finish
РМАТВН01	800 × 200 × 200	Stainless Steel
РМАТВН02	800 x 200 x 200	Antique Silver
РМАТВН03	800 x 200 x 200	Green
РМАТВН04	800 x 200 x 200	Black Textured

Hooded Top Bin

Code	H x W x D (mm)	Finish
PMAHDD01	850 x 200 x 200	Stainless Steel
PMAHDD02	850 x 200 x 200	Antique Silver
PMAHDD03	850 x 200 x 200	Green
PMAHDD04	850 x 200 x 200	Black Textured

Flat Top Bin

Code	H x W x D (mm)	Finish
PMAFLT01	690 x 200 x 200	Stainless Steel
PMAFLT02	690 x 200 x 200	Antique Silver
PMAFLT03	690 x 200 x 200	Green
PMAFLT04	690 x 200 x 200	Black Textured
PMBOLTS	Pack of 4	-
PMKEY-NBB	Pack of 2 Replacement Tower Bin Keys	-

Smokers Ceasefire

A low cost solution to cigarette litter



- Flame resistant
- Large capacity collection bucket
- Weather resistant and available in 2 colour options

Specifications:

- Polythene construction with galvanised steel collection bucket
- 15 litre capacity

Code	Description	H x Dia (mm)	Colour
PMSCF01	Smokers Ceasefire	978 x 419	Grey
PMSCF02	Smokers Ceasefire	978 x 419	Black
PMANC1	Fixing Bolt	-	-





Smoking Control Signs

Comply with legislation and promote a non-smoking environment

• Signs are supplied with rounded corners to protect against accidental contact

· Available in self adhesive vinyl and rigid plastic





<u> 3128 (111111)</u>	Size (ITIIII)
100 x 150	300 x 400
150 x 200	400 x 300
200 x 300	450 x 150
300 x 100	600 x 200
300 x 200	600 x 450

No Butts® Stand **Mounted Cigarette Bin**

An ideal solution for glass fronted buildings

no smoking

smoking


. 100 x 150

. 150 x 200 . 200 x 300

- Allows users to position the bin in the optimum location
- Patented fire prevention baffle system extinguishes ciaarette butts
- Stainless Steel version is Guaranteed for Life
- Also available in mild steel construction in 3 powder coated finishes

The No Butts Stand Mounted Cigarette Bin is especially effective when the building facade is glass, or when a traditional wall mounted bin is not an option **Specifications:**

- Stand is made from 1mm thick, architectural grade stainless steel with a Lifetime Guarantee, or Zintec zinc plated mild steel with epoxy/polyester coating
- textured finishes (see page 15)
- Weighted base sold separately



Code	H x W x D (mm)	Туре	Finish
PMANST01	400 x 190 x 95	Stand & Bin	Stainless Steel
PMANST02	400 x 190 x 95	Stand & Bin	Antique Silver
PMANST03	400 x 190 x 95	Stand & Bin	Green
PMANST04	400 x 190 x 95	Stand & Bin	Black Textured
PMANSP01	500mm Dia.	Base only	Stainless Steel
PMANSP02	500mm Dia.	Base only	Antique Silver
PMANSP03	500mm Dia.	Base only	Green
PMANSP04	500mm Dia.	Base only	Black Textured
PMKEY-GREE	EN Pack of 2 Replace	ment Keys	_



Original No Butts Bin

UNIQUE BAFFLE DESIGN Sloping top prevents rubbish beina placed on bin **Perforated** stub-out zone Patented No Butts® Baffle & Double Box reduces oxygen levels and extinguishes the cigarette Lock and all fittings are concealed for security against vandalism Security Slam Lock

No Butts[®]Original Cigarette Bin

Keep your entrances and smoking areas free from cigarette litter

- Patented fire prevention baffle system extinguishes cigarette butts
- Stainless Steel version is guaranteed for life
- Lockable double collection box deters vandals
- Also available in mild steel construction in 3 powder coated finishes (see below)
- Encourages smokers to dispose of cigarettes responsibly

The No Butts Cigarette Bin was the first cigarette bin sold in the UK over 15 years ago. It fixes conveniently to the wall and enables lit cigarettes to be disposed of easily and safely. With the No Butts Bin your entrances and designated area will remain butt free.

How it works?

The bins sloping top prevents litter being placed on it and its front grill allows only cigarette butts to be placed inside. Our unique internal baffle system reduces smoke return and oxygen levels to extinguish butts in the collection box. The double collection box is locked in place and once opened, slides out easily allowing the bin to be quickly and hygienically emptied.

Specifications:

- Back mounting plates and inner collection boxes: 304-arade stainless steel
- Stainless Steel model: 1mm architectural grade Guaranteed for Life!
- Painted models: Imm Zintec, zinc plated mild steel coated with epoxy polyester coating
- Painted models available in Antique Silver, Green and Black textured finishes (see below right)
- Supplied with wall mounted screw fixings

Code	H x W x D (mm)	Inner Bin Capa	ıcity Finish
PMANBB01	445 x 245 x 70	2 Ltr	Stainless Steel
PMANBB02	445 x 245 x 70	2 Ltr	Antique Silver
PMANBB03	445 x 245 x 70	2 Ltr	Green
PMANBB04	445 x 245 x 70	2 Ltr	Black Textured
PMKEY-GREEN	Pack of 2 Replacem	nent Keys -	