

Product specification sheet

Revision 5 | 24 October 2017

1.	Product code	GA005*																																
2.	Product description	PRO.TECT Orange HD																																
3.	Material	Nitrile																																
4.	Inspection parameters	<table border="1"> <thead> <tr> <th>Criteria</th> <th>Inspection level</th> <th>AQL</th> <th colspan="2">Standard</th> </tr> </thead> <tbody> <tr> <td>Dimensions</td> <td>S-2</td> <td>4</td> <td colspan="2">EN455-2</td> </tr> <tr> <td>Physical properties</td> <td>S-2</td> <td>4</td> <td colspan="2">EN455-2</td> </tr> <tr> <td>Water tight test (1,000ml)</td> <td>G-1</td> <td>1.5</td> <td colspan="2">EN455-1</td> </tr> <tr> <td>Visual defects</td> <td>G-1</td> <td>2.5</td> <td colspan="2">In-house</td> </tr> </tbody> </table>				Criteria	Inspection level	AQL	Standard		Dimensions	S-2	4	EN455-2		Physical properties	S-2	4	EN455-2		Water tight test (1,000ml)	G-1	1.5	EN455-1		Visual defects	G-1	2.5	In-house					
Criteria	Inspection level	AQL	Standard																															
Dimensions	S-2	4	EN455-2																															
Physical properties	S-2	4	EN455-2																															
Water tight test (1,000ml)	G-1	1.5	EN455-1																															
Visual defects	G-1	2.5	In-house																															
5.	Glove dimensions	<table border="1"> <thead> <tr> <th rowspan="2">Dimensions</th> <th colspan="5">Size (mm)</th> </tr> <tr> <th>XS</th> <th>S</th> <th>M</th> <th>L</th> <th>XL</th> </tr> </thead> <tbody> <tr> <td>Product code</td> <td>-</td> <td>-</td> <td>GA0053</td> <td>GA0054</td> <td>GA0055</td> </tr> <tr> <td>Palm width</td> <td>-</td> <td>-</td> <td>95 ± 10</td> <td>110 ± 10</td> <td>≥ 110</td> </tr> <tr> <td>Length</td> <td>-</td> <td>-</td> <td>≥ 240</td> <td>≥ 240</td> <td>≥ 240</td> </tr> </tbody> </table>				Dimensions	Size (mm)					XS	S	M	L	XL	Product code	-	-	GA0053	GA0054	GA0055	Palm width	-	-	95 ± 10	110 ± 10	≥ 110	Length	-	-	≥ 240	≥ 240	≥ 240
Dimensions	Size (mm)																																	
	XS	S	M	L	XL																													
Product code	-	-	GA0053	GA0054	GA0055																													
Palm width	-	-	95 ± 10	110 ± 10	≥ 110																													
Length	-	-	≥ 240	≥ 240	≥ 240																													
6.	Glove thickness	<table border="1"> <thead> <tr> <th>Point of thickness measurement</th> <th>Nominal single wall (mm)</th> </tr> </thead> <tbody> <tr> <td>Cuff (at beaded end)</td> <td>0.09</td> </tr> <tr> <td>Palm (at centre of palm)</td> <td>0.13 (flat area) 0.22 (raised area)</td> </tr> <tr> <td>Fingertip (at fingertip)</td> <td>0.15</td> </tr> </tbody> </table>				Point of thickness measurement	Nominal single wall (mm)	Cuff (at beaded end)	0.09	Palm (at centre of palm)	0.13 (flat area) 0.22 (raised area)	Fingertip (at fingertip)	0.15																					
Point of thickness measurement	Nominal single wall (mm)																																	
Cuff (at beaded end)	0.09																																	
Palm (at centre of palm)	0.13 (flat area) 0.22 (raised area)																																	
Fingertip (at fingertip)	0.15																																	
7.	Physical properties	<table border="1"> <thead> <tr> <th>Parameters</th> <th>Before aging</th> <th>After aging</th> </tr> </thead> <tbody> <tr> <td>Median force at break (N)</td> <td>Min 6.0</td> <td>Min 6.0</td> </tr> <tr> <td>Tensile strength (MPa)</td> <td>Min 14.0</td> <td>Min 14.0</td> </tr> <tr> <td>Ultimate elongation (%)</td> <td>Min 500</td> <td>Min 400</td> </tr> </tbody> </table>				Parameters	Before aging	After aging	Median force at break (N)	Min 6.0	Min 6.0	Tensile strength (MPa)	Min 14.0	Min 14.0	Ultimate elongation (%)	Min 500	Min 400																	
Parameters	Before aging	After aging																																
Median force at break (N)	Min 6.0	Min 6.0																																
Tensile strength (MPa)	Min 14.0	Min 14.0																																
Ultimate elongation (%)	Min 500	Min 400																																
8.	Proteins	None																																
9.	Powder residue	Maximum 2.0 mg / glove																																
10.	Cuff type	Beaded																																
11.	Design	Ambidextrous																																
12.	Surface	Diamond Textured																																
13.	Colour	Orange																																
14.	Quality assurance	Manufactured under ISO 9001:2008 and 13485:2012																																

The above data represents the product norm, which may be changed without notice and is intended as a guide only.