



TECHNICAL PRODUCT DATASHEET

CHEMICAL PROTECTION







UPDATED: 09/01/2019

DG-Maxim™-BK

Black nitrile powderfree disposable glove with fishscale grip

Premium quality extra thick NBR nitrile glove offering excellent protection against dilute chemicals and oils. The 6 mil thickness ensures excellent durability whilst maintaining dexterity. "Fish Scale" embossed pattern on both sides for enhanced grip. Quality assured with an AQL of 1.5 and certified complex design EN374



FEATURES AND TECHNOLOGY











SUPERIOR GRIP







NITRILE

TYPICAL INDUSTRIES







a cenotes not tested.

2 "Where applicable, EN388-2016 scores take precedent and are ongoing.

3 There is no creatation between coupe test levels and EN ISO 13997 / TDM cut test levels.



OIL, GAS & MINING







RAILWAYS AGRICULTURE JANITORIAL

TECHNICAL INFORMATION

ORDER REF#	C/DC MANUA/DV	
ORDER REF #	G/DG-MAXIM/BK	
COATING MATERIAL	N/A	
PACKING	PER PACK: 1	PER CASE: 10
SIZES AVAILABLE	S, M, L, XL, 2XL	
EU TYPE CERTIFICATION BY	SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, UK (Notified Body No. 0321)	

CERTIFICATION AND STANDARDS (SEE OVERLEAF FOR FURTHER DETAILS)








Protection against viruses - PASS

0120









Fax: +44 (0)1902 451 271



Web: www.ultimateindustrial.co.uk
















UPDATED: 09/01/2019

CERTIFICATION LEGENDS



FURTHER INFORMATION

STORAGE/TRANSPORT: Keep away from direct sunlight; store in a cool dry place. Keep away from ozone sources or naked flame. Store the gloves in their original packaging. During transportation, ensure the product is well packaged and protected in order to prevent any damage.


PRECAUTIONS BEFORE USE: 1. Gloves should not be used when there is a risk of entanglement with moving machine parts. 2. Before usage and periodically during usage, inspect the gloves for any defects or imperfections. Avoid wearing damaged, dirty or worn out gloves. 3. The gloves should not come in contact with a naked flame or fire. 4. Do not subject to high speed or serrated blades. 5. Always read enclosed user instructions before using these gloves. 6. When used, protective gloves may provide less resistance to the dangerous chemicals due to changes in physical properties. 7. Movements, snagging, rubbing, de-gradation caused by the chemical contact etc. may reduce the actual use time significantly. For corrosive chemicals, degradation can be the most important factor to consider in selection of chemical resistant gloves.


CONSTITUENTS / ALLERGIES: Some gloves may contain ingredients which are known to be a possible cause of allergies in sensitive persons who may develop irritant and/or allergic contact reactions. If an allergic reaction should occur seek medical advice immediately. This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

For more information about this product, or to access the Declaration of Conformity or Product Certification, visit; https://www.ultimateindustrial.co.uk/product/954-DG-Maxim-BK

If appropriate to the product, EC/EU Declaration of Conformities, relevant certification and supporting documentation are available to access through your distributor, at the above web address(s) or by contacting UCi customer services quoting the product reference code. This document and any other statement provided herein by or on behalf of UCi are given for informational purposes and do not constitute a contractual agreement nor warranty of merchantability. UCi assumes no responsibility for the suitability or adequacy of an end user's selection of product for a specific purpose. The manufacturer reserves the right to make any modifications it deems necessary. All product and company names are trademarks^{3M} or registered^{3M} trademarks of their respective holders. Selection of product and company names are trademarks^{3M} or registered^{3M} trademarks of their respective holders.













Registered in England No. 2035621