Porches & Canopies



WHATEVER YOUR REQUIREMENTS WE CAN DESIGN, MANUFACTURE AND INSTALL







FREEPHONE: 0800 1777 052









FREEFAX: 0800 1777 053



& Cigarette Litter Disposal Products



Sandford Entrance Porch

Guide visitors to your entrance with this stylish porch walkway

- Provide shelter for visitors entering your premises
- An extended version of the original Porch providing extra coverage up to and over an entrance
- Choose as many 1m extensions as necessary for your needs
- Side panels provide extra protection from the elements

Specifications:

Frame:

- Reinforced fibreglass
- Acid etched and polyester epoxy powder coated
- Maintenance free for 15 years and life maintained for 25 years
- Available in 7 standard colours (see below). All other RAL colours available on special order

Configurations and Assembly:

- Due to the variety of building structures no fixings are supplied
- Supplied with full assembly instructions
- Lettering available. Please call **0800 1777 052** for a quotation



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.









Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	H x W x D (mm)
QNPCH1ZC	2200 x 2110 x 1085
QNPCH2ZC	2200 x 2110 x 2135
QNPCH3ZC	2200 x 2110 x 3185

Black

RAL9005

Yellow

RAL1021



Chiswell Canopy



Enhance the look of your premises with this cost effective wall attached canopy

• Ideal for covering paths, walkways, driveways and entrance ways either along side or in-between buildings

Specifications:

Frame:

- Manufactured from lightweight aluminium bars, making the canopy easy to install but also keeps load bearing on supportive walls to a minimum
- Powder coated in a choice of 8 standard colours. All other RAL colours available on special order
- 100% corrosion resistant
- Maintenance free for 15 years and life maintained for 25 years

Glazing:

• 16mm polycarbonate roof, face fixed to frame

Configurations and Assembly:

- Available in 9 standard lengths, bespoke lengths are also available – call our friendly sales team on 0800 1777 052
- Supplied with full assembly instructions
- Quick and easy to self assemble and install or can be installed by our installation team











Code	Description	Size (mm)
QNCNL20	Flat Canopy	2000 x 2500
QNCNL21	Flat Canopy	3000 x 2500
QNCNL22	Flat Canopy	4000 x 2500
QNCNL23	Flat Canopy	5000 x 2500
QNCNL24	Flat Canopy	6000 x 2500
QNCNL25	Flat Canopy	7000 x 2500
QNCNL26	Flat Canopy	8000 x 2500
QNCNL27	Flat Canopy	9000 x 2500
QNCNL28	Flat Canopy	10000 × 2500



Steeple Canopies

Essential for all main entrances

- Improve the look of your building and highlight the entrance
- Ideal for where floor fixing area or space is limited
- Provides immediate protection from the weather for people entering or leaving the building
- Keeps entrance neat and tidy by reducing the amount of dust and debris that enters your premises
- Steel construction makes canopy long lasting and hardwearing
- Canopy width can vary according to your requirements

Specifications:

Frame:

- Mild steel construction galvanised to ISO 461 2009, fettled and polyester epoxy powder coated
- 40mm square hollow tube
- Maintenance free for 15 years and life maintained for 25 years

Glazina:

• 4mm clear polycarbonate, face fixed to frame

Configurations and Assembly:

- Available in a choice of 2 designs with 3 widths available (see price grid)
- Canopy width can vary to suit requirements
- Bolted to building
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team. Call **0800 1777 052** for a quotation











Code	Description	H (U/Side) x W x D (mm)
QNCNF23	Flat Canopy	2200 x 3000 x 2500
QNCNF26	Flat Canopy	2200 x 6000 x 2500
QNCNF29	Flat Canopy	2200 x 9000 x 2500



Sandford Smoking Porch

Ideal for sites where space is limited

- Creates a designated smoking area
- Compliant with Smoking Ban Legislation Parliament Act 3368
- Ideal for smaller premises where floor space is limited
- Attaches easily to a wall
- Protects employees from the elements
- · Lightweight structure is weather resistant and will not rust
- Also suitable for use as a waiting area or entrance porch

Specifications:

Domed Roof:

- Reinforced fibreglass
- Maintenance free for 15 years and life maintained for 25 years
- Weighs 50kg
- Available in 7 standard colours (see below). All other RAL colours available on special order

Configurations and Assembly:

- Delivered with full instructions
- Easy to assemble
- Due to the variety of building structures no fixings are supplied
- Available in one standard size
- Bespoke sizes available. Call 0800 1777 052 for a quotation







We offer FREE surveys to all UK Mainland Establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Capacity	H x D (mm)
ANSSP1	3-5 People	2100 x 1000